

HL79523A/B

Battery/Rechargeable Personal Alarm

- 1PC LED
- Net Weight : 32g
- 3* LR44 /3.7V 120MAH
- Size : 12.5*4.3*2cm
- 130dB

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M

USB TYPE - C



HL79526

Rechargeable Personal Alarm with Flashlight

- 1PC LED
- 3.7v 150mah
- Size:56*51*22mm
- Net Weight:32g
- 130db

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M

USB TYPE - C



HL79502

Personal Alarm Light

- 1pc led,
- 3.7V130mah
- 130DB
- Size: 100X31X13.5mm
- Net weight: 28

RUNTIME

4H

IP CLASS

IP65

NO

10M

1M



HL79503

Personal Alarm Light

- 8pcs led,
- 3.7V100mah
- 130BD
- Size: 78X25X18mm
- With clip

RUNTIME

4H

IP CLASS

IP65

NO

200M

1M



HL79522

Rechargeable Personal Alarm Wiith LED

- 1PCS LED
- 130 DB
- Size: 73*42*21mm
- 3* LR44 /3.7V 120MAH
- Weight: 30g

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M

USB TYPE - C



HL79525

Battery Personal Alarm with Flashlight

- 1PC LED
- Material:ABS
- 3PCS*LR44
- Net Weight : 32g
- Size:55*52*26MM
- 130DB

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M



HL79527

Battery Personal Alarm

- 1PCS LED
- 4.5v 65mah
- Size:16.3*11.3*3.5mm
- Weight:50g
- Alarm decibel: 125dB
- With Keychain

RUNTIME

2H

IP CLASS

IP65

NO

10M

1M



HL79504

Personal Alarm Light

- 1pc led,
- 3.7V130mah
- 130DB
- Size: 68X26X10.5mm
- Net weight: 18g

RUNTIME

2H

IP CLASS

IP65

NO

10M

1M



HL79517B

Rechargeable Personal Alarm with Flashlight

- 1PC LED
- Material: ABS
- LR44 * 3pcs/3.7V 120MAH
- Alarm : 130DB
- Size: 82 * 51 * 35mm
- Net weight: 43g

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M

USB TYPE - C



HL79508

Personal SOS Alarm

- 3.7v130mah
- 130DB
- Size: 52X22X52mm
- Net weight: 46g
- With key chainv

RUNTIME

2H

IP CLASS

IP65

NO

10M

1M



HL79524

Battery Personal Alarm With Flashlight

- 1PC LED
- Battery:23A12V
- Size:35*19*70mm
- Net Weight:40g
- Material:ABS
- 130DB

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M



HL79519

Personal Alarm with PIR Sensor

- 1PC LED
- 120DB
- Battery: LR44 x3
- Size: 38 × 24 × 67mm
- Weight: 40g
- With human body induction

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M



HL79520

Battery Personal Alarm With LED

- 1PC LED
- Material:ABS
- 3xLR44
- 100DB
- Weight: 27.5g
- Size: 64*46*24mm

RUNTIME

>24H

IP CLASS

IPX4

NO

10M

1M



HL79505

Personal Alarm Light

- 1pc led,
- 130DB
- Size: 87.5X30X13mm
- Net weight: 18g
- With key chain

RUNTIME

2H

IP CLASS

IP65

NO

10M

1M



HL79528

Battery Personal Alarm

- LR44*3pcs
- Size:71.5*38*14.5mm
- Weight:27.5g
- Material:ABS
- Alarm decibel: 125dB

RUNTIME

2H

IP CLASS

IP65

NO

10M

1M



HL79521

Battery Personal Alarm

- 3xLR44
- 100DB
- Weight: 30g
- Size: 60*30*24mm

RUNTIME

>24H

IP CLASS

IPX4


NO

10M

1M



BPL66028Window Door Alarm ● 3AAA ● Size:10*6*4cm ● Weight:60g ● 4 Work Modes ● Alarm decibel: 65-120db 	BPL66011Door / Window Sensor Alarm ● 130DB ● 3pcs LR44 ● Size: 14.5X70X35mm 13.5X10X40mm ● With sticker 	BPL66022Window Door Alarm ● Size:45*23*99mm ● Material:ABS ● Net Weight:36g ● 2*AA (Not Including) ● 95 dB 	BPL66025Window Door Alarm ● Size : 15 x 5 x 10 cm ● Material:ABS ● 100 dB sound ● magnet control ● 3pcs AA battery not include ● Net Weight:120g 
BPL66021Window Door Alarm ● Size : Host 65*34*16.5mm Magnetic stripe 36*10*14mm ● Net weight: 42g ● Material: ABS ● LR44*3 ● 90-130 dB 	BPL66016Window Door Stop Alarm ● Materials:ABS ● Net Weight::63 ● Size:90*42*15.5mm ● 2*AAA ● 130DB Alarm ● 4 Work Modes 	BPL66020Window Door Alarm ● Size: Φ9*72mm ● Material:ABS ● LR44 * 3 pieces ● Product Weight: 32.5g ● 125 dB 	BPL66019Window Door Stop Alarm ● 3*LR44 ● Size:64*27mm ● Net Weight:40g ● 120DB ● 2 Sensitivity 
BPL66017Window Door Stop Alarm With Remote ● 2*AAA ● Size:90*42*15.5mm ● Net weight:85g ● Material:ABS ● 130DB Alarm ● 4 Work Mode ● With Remote Control 	BPL66015Door/Window Sensor Alarm ● 130DB ● 2AAA (body)/ 1cr2032(Remote) ● Size: 90X43X13mm, 45x13x13mm ● With remote control ● Frequency: 433HZ 	BPL66018Door Stop Alarm ● 3 levels: high, medium, low ● Alarm: 120 decibels ● 3AAA battery (not included) ● 120DB ● Size: 68 × 18 × 139mm ● Weight: 40g 	BPL66027Door Stop Alarm ● Size:128.2*36*21.5mm ● Weight:45.5g ● Material:ABS +PC 
BPL66012Window Door Stop Alarm ● 3pcs LR44 ● Material ABS ● Weight 50g ● Size :75x38x11.5mm ● 120DB ● Swtch With switch for on / OFF 	BPL66024Window Door Alarm ● Size:35*65*25mm ● Material:ABS ● Net Weight:30g ● 3*LR44 ● 95 dB 	BPL66001Door Stop Alarm ● 9V battery ● Material :ABS,stailess steel ● Size:14x4.5x4cm ● Net weight: 90g ● DB for alarm >120 ● With switch for on / OFF 	BPL66026Door Stop Alarm ● Size : 45*37*135mm ● Net Weight:105g ● Material:ABS ● 9V battery ● DB for alarm >120 ● Switch for on / OFF 

BSG26028Solar Alarm Light 2pcs Red LED Light - Battery:3.7v 400mah - Solar Panel:5v*80mah - Size: 7.5*8.1*3.2cm - Material : ABS - Charging Time:8h - Discharging Time:12h - IP55 RUNTIME >12H IP CLASS IP55 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26032Solar Alarm System 6 pcs Red LED Light - Solar Panel : 5v*80ma - Battery:3.7 400mah - Material : ABS - Charging Time:6-8h - Discharging Time:50Days 4 Modes,13 sound plays,IP55, 129Db - Detection distance: 5-8 meters - Detection angle: 125 degrees RUNTIME >24H IP CLASS IP55 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26003Solar Security Light - Solar panel: 5v 80ma 6pcs led 3.7v 400mah - Size: 120x69mm - Alarm:110DB 2 work modes RUNTIME >12H IP CLASS IP65 NO LIGHT DISTANCE 500M IMPACT RESISTANCE 1M 	BSG26004Solar Security Light - Solar panel: 5v 120ma 8pcs led 3.7v 1200mah - Size: 140x90mm - Alarm : 129DB - Remote control: 433 MHZ RUNTIME >18H IP CLASS IP65 NO LIGHT DISTANCE 500M IMPACT RESISTANCE 1M 
BSG26029Solar Alarm Light 3.7v 1200mah - Solar Panel:5v*130mah - Size: 15*5.4*7.6cm - Material : ABS - Charging Time:>8h - Discharging Time:8-10days - Function: IP55 4 Modes - Detection distance: 5-8 meters - Detection angle: 110 degrees RUNTIME >24H IP CLASS IP55 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26022Solar Ultrasound Alarm 2pcs led, 5v 130MA solar panel 3.7v 1200mah - Ultrasound :24hz - Size: 68X150X125mm,250g 13 sounds ,recording function - With PIR sensor RUNTIME >24H IP CLASS IP65 MAGNET NO LIGHT DISTANCE 300M IMPACT RESISTANCE 1M 	BSG26033Solar Alarm System - Battery:3.7v 1000mah - Size:164.3*124.3*59mm - Weight:247g - Charging time:10h/USB 4-5h - Alarm volume:<100DB - Wireless reception range:>100m - IP65 RUNTIME >12H IP CLASS IP65 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26025Solar Alarm With Warning Light - Solar :5v100ma 3.7v 800mah - Material : ABS 135x61x79.5mm,250g - Alarm: 120db 3 work modes 433 mhz remote control - Remote distance: 8-12M - IP44 RUNTIME >24H IP CLASS IP65 NO LIGHT DISTANCE 300M IMPACT RESISTANCE 1M 
BSG26035Solar Alarm System 6pcs Red LED +3pcs LED 3.7v 2000mah - Solar Panel : 5v*1.2 - Size:145*105*175mm - Charging time:>8h /DC<3h - Discharging time : >12h - Modes:3 Modes RUNTIME >12H IP CLASS IP55 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26021Solar Alarm Light 12pcs red + 12 blue led 5v 3w solar panel 3.7v 4000mah - Size: 170x200x170mm (lamp),Bracket :280cm - Net weight:250g 13 sounds inside, recording function - With PIR sensor & remote control RUNTIME >24H IP CLASS IP65 NO LIGHT DISTANCE 500M IMPACT RESISTANCE 1M 	BSG26005Solar Infrared Alarm 5v 60mah solar panels 3.7v 800mah - Size : 122x55x73mm - Net weight : 121g - Alarm sound : 100DB - With light sensor RUNTIME >12H IP CLASS IP65 NO LIGHT DISTANCE 500M IMPACT RESISTANCE 1M 	BSG26020Solar Alarm Light 8pcs led 5v 120ma solar panel 3.7v 1200mah - Size: 90x85x90mm,250g 120BD - With PIR sensor & remote control RUNTIME >24H IP CLASS IP65 NO LIGHT DISTANCE 500M IMPACT RESISTANCE 1M 
BSG26018Solar Infrared Alarm 12pcs led 5v 1.2w solar panel 3.7v 2000mah - Size: 177x87x85mm,500g 13 kinds sounds inside - With recording function - With PIR sensor & remote control RUNTIME >12H IP CLASS IP65 NO LIGHT DISTANCE 500M IMPACT RESISTANCE 1M 	BSG26031Solar Alarm System 3.7v 1200mah - Solar Panel:5v*120ma - Material : ABS - Size : 8.8*14*9.4cm - Charging Time:Solar Charging8h/ DC 2h - Modes : 4 Modes - Detection distance: 5-8 meters - Remote control distance: 10-100M RUNTIME >12H IP CLASS IP44 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26027Solar Security Light 2v*130mah - Battery:Ni-MH AAA 1.2v/600mah - Size: 8*8.8*5.8cm - Charging Time:>8h - Discharging Time:>12h - IP44 RUNTIME >12H IP CLASS IP44 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 	BSG26034Solar Alarm System 3.7v 1000mah - Size:8.5*2.9*8.3 - Weight:90g - Modes:Infrared sensor activation - IP54 RUNTIME >12H IP CLASS IP54 NO LIGHT DISTANCE 100M IMPACT RESISTANCE 1M 

BSG26030Solar Alarm Light 3.7v 400mah - Solar Panel:5v*80mah - Size: 97*48*110mm - Charging Time:8h - Discharging Time:>3h - Sounds:13 sound plays  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>12H</td><td>IP44</td><td>NO</td><td>100M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>12H	IP44	NO	100M	1M	BSG26023Solar PIR Alarm 6pcs red led, 5v 80MA solar panel 3.7v 400mah 129BD - Size: 80X95Xmm,140g - With PIR sensor  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>24H</td><td>IP65</td><td>NO</td><td>300M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>24H	IP65	NO	300M	1M	BPL65021Rechargeable LED Running Light 14PCS LED - Size:57*24*22mm - Weight :19.5g - Material : ABS - Modes : 7 Work Modes  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>RUNTIME</td><td>USB TYPE - C</td></tr><tr><td>IPX4</td><td>NO</td><td>50M</td><td>>3H</td><td></td></tr></table>						IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C	IPX4	NO	50M	>3H		BPL65023Rechargeable LED Running Light - XPE+10 LED - Battery:3.7V 450mah - Size:36*53mm - Weight :120g - Material:ABS+Silicone 6 Work Modes - With cilp  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>RUNTIME</td><td>USB TYPE - C</td></tr><tr><td>IPX4</td><td>NO</td><td>50M</td><td>>5H</td><td></td></tr></table>						IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C	IPX4	NO	50M	>5H		
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>12H	IP44	NO	100M	1M																																																												
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>24H	IP65	NO	300M	1M																																																												
																																																																
IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C																																																												
IPX4	NO	50M	>3H																																																													
																																																																
IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C																																																												
IPX4	NO	50M	>5H																																																													
BSG26036Solar Infrared Sensor Repeller - Solar Panel - Weight:500g - Material:ABS - Size:11*5*14*50cm - Repulsion range: 50-80 square meters  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>12H</td><td>IP44</td><td>NO</td><td>50-80M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>12H	IP44	NO	50-80M	1M	BSG26037Solar Animal Alarm - Red Blue LED - Solar Panel - Size:9.4*8.5*10.5cm - Weight:1000g - Recharging time :5h - Sensing design  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>12H</td><td>IP44</td><td>NO</td><td>>50M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>12H	IP44	NO	>50M	1M	BPL65024Rechargeable LED Running Light - COB+XPE - Battery:1200mah - Size:57*47mm - Weight :45g - Material:ABS - Modes:11 Work Modes - Battery Display  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>RUNTIME</td><td>USB TYPE - C</td></tr><tr><td>IPX4</td><td>WITH</td><td>50M</td><td>>5H</td><td></td></tr></table>						IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C	IPX4	WITH	50M	>5H		BPL65025Rechargeable LED Running Light 5W COB 800lm - Size:10.5*7.3*3.3cm - Weight :105g - Material:ABS - Type-C - Battery Display  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>RUNTIME</td><td>USB TYPE - C</td></tr><tr><td>IPX4</td><td>NO</td><td>50M</td><td>>5H</td><td></td></tr></table>						IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C	IPX4	NO	50M	>5H		
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>12H	IP44	NO	50-80M	1M																																																												
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>12H	IP44	NO	>50M	1M																																																												
																																																																
IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C																																																												
IPX4	WITH	50M	>5H																																																													
																																																																
IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C																																																												
IPX4	NO	50M	>5H																																																													
BSG26019Solar Infrared Alarm 6pcs led 5v 150ma solar panel 3.7v 1200mah - Size: 105x105x75mm,400g 13 kinds sounds inside - With recording function - With PIR sensor & remote control  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>24H</td><td>IP65</td><td>NO</td><td>500M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>24H	IP65	NO	500M	1M	BSG26026Solar Alarm Repellent 6pcs Red LED Light 3.7v 1200mah - Solar Panel:5v*150mah 10.5*7.5*36cm,420g 4 Works Modes - Discharging Time:6-8days  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>24H</td><td>IP44</td><td>NO</td><td>100M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>24H	IP44	NO	100M	1M	BPL65020Clip Running Light 24 SMD.white/blue/green 3.7v 400mah - Net weight:26g - With clip 4 work modes  <table><tr><td></td><td></td></tr><tr><td>LUMEN</td><td>RUNTIME</td></tr><tr><td>300LM</td><td>3-5H</td></tr><tr><td></td><td></td></tr><tr><td>IP CLASS</td><td>LIGHT DISTANCE</td></tr><tr><td>IPX4</td><td>200M</td></tr><tr><td></td><td></td></tr><tr><td>USB TYPE - C</td><td></td></tr></table>			LUMEN	RUNTIME	300LM	3-5H			IP CLASS	LIGHT DISTANCE	IPX4	200M			USB TYPE - C		BPL65028Rechargeable LED Running Light - XPG+COB - Battery: 1500mah - Size:9*6*3cm - Weight :56g - Material:ABS - With Clip Magnet Base - Red Light  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>RUNTIME</td><td>USB TYPE - C</td></tr><tr><td>IPX4</td><td>WITH</td><td>50M</td><td>>5H</td><td></td></tr></table>						IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C	IPX4	WITH	50M	>5H	
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>24H	IP65	NO	500M	1M																																																												
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>24H	IP44	NO	100M	1M																																																												
																																																																
LUMEN	RUNTIME																																																															
300LM	3-5H																																																															
																																																																
IP CLASS	LIGHT DISTANCE																																																															
IPX4	200M																																																															
																																																																
USB TYPE - C																																																																
																																																																
IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C																																																												
IPX4	WITH	50M	>5H																																																													
BSG26038Solar Infrared Sensor Repeller - Battery:4*AA 300mah - Size:15.2*13*42cm - Material:ABS - Net Weight:355g - Discharging time : 6-8h - Distance : 7-9m  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>12H</td><td>IPX4</td><td>NO</td><td>50M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>12H	IPX4	NO	50M	1M	BSG26039Solar Infrared Repeller - Battery:3.7v Solar Panel - Size:90*305mm - Material:ABS - Net Weight:500g - Red light LED - with vibration deterrent  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>12H</td><td>IPX4</td><td>NO</td><td>50M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>12H	IPX4	NO	50M	1M	BPL65009Led Running Light - XPG +LED +COB 3.7V 800MAH - Material: ABS ,silica - Size : 57x48x28mm,72g - With magnet clip 5 work modes - Type c  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>10H</td><td>IP44</td><td>WITH</td><td>50M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>10H	IP44	WITH	50M	1M	BPL65013Led Running Light 3W COB 3.7v 800mah - Material: silica,ABS - Size: 4.8x3.8x2.3cm,35g 6 work modes - With reflective strap - With red warning light  <table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>RUNTIME</td><td>IP CLASS</td><td>MAGNET</td><td>LIGHT DISTANCE</td><td>IMPACT RESISTANCE</td></tr><tr><td>>10H</td><td>IP44</td><td>WITH</td><td>50M</td><td>1M</td></tr></table>						RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	>10H	IP44	WITH	50M	1M	
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>12H	IPX4	NO	50M	1M																																																												
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>12H	IPX4	NO	50M	1M																																																												
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>10H	IP44	WITH	50M	1M																																																												
																																																																
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE																																																												
>10H	IP44	WITH	50M	1M																																																												

BPL65016 Silica Running light

- 2W white+1.8w red,2835smd
- 3.7V 350MAH
- Size:380X30X15MM
- Net weight: 37g
- 3 work modes

	
LUMEN	RUNTIME
80LM	4-24H
	
IP CLASS	LIGHT DISTANCE
IPX5	10M
	
USB TYPE - C	



BPL65022 Rechargeable LED Running Light

- COB LED
- Size : 55*52mm
- Net Weight: 33g
- 4 Work Modes
- Waterproof IPX4
- ABS+PC
- Magnet Base

					
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
150LM	4-8H	IP44	50M	1M	



BPL65026 Battery/Rechargeable LED Running Light

- 3AAA/Rechargeable
- Size:30*2.5*1.5cm
- Weight :30g
- Material:Weaving

				
IP CLASS	MAGNET	LIGHT DISTANCE	RUNTIME	USB TYPE - C
IPX4	NO	50M	>5H	



BPL65015 Rechargeable LED Running Light

- 6PCS LED
- 3.7v 300mah
- Material:ABS silica
- Size 47x27x18mm ,30g
- 3 work modes

					
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
200LM	1.5-3H	IP44	50M	1M	



BPL65019 Rechargeable LED Shoes Light

- XPE +COB
- 3.7V 300mah
- Material: ABS
- 33x66x32mm, 25.5g
- 5 work modes
- 180 degree angle adjustable

					
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
200LM	1.5-15H	IP44	50M	1M	



BPL62809 Led Running Light

- 3W COB+4PCS RGB+6PCS red SMD
- 3.7V 650MAH
- Material :ABS
- Net weight : 152g
- 3 work modes
- With warning light in the back
- Light head can be adjusted 0~90 degree

					
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
120LM	3-12H	IP44	20M	1M	



BPL65014 Led Running Light

- 5w COB ,6pcs white + 4pcs red SMD (back)
- 3.7V 1200MAH
- Material:ABS,PC ,nylon
- Size : 45x35x10cm,136g
- 6 work modes
- Charging time : 2~3 hours

				
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IP44	WITH	50M	1M



BPL65010 Led Running Light

- 2*T6 +5pcs red led
- 3.7V 2200MAH
- Material:ABS
- Size:105x53x27mm (back lamp)
70x60x30mm (front lamp)
- Net weight:161g
- 5 Work Modes
- Adjustable reflective strap
- 120 degree angle adjustable

				
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IP44	WITH	50M	1M



BPL62525 Battery LED Running Light

- 3pcs SMD
- 2pcs cr2032
- 3 flash modes
- Size:55x30x18mm,20g
- Material:ABS,PC
- With clip

				
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE
100LM	>12H	IP44	50M	1M



BPL62531 Led Running Light

- 1PC LED
- 2*CR2032 (Not Including)
- 3 flash modes
- Size165x33x19mm,38g
- Material:silica
- With magnet

				
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10-20H	IPX5	NO	50M	1M



BPL62539 Sports Arm Light

- 4xwhite+2xred2835SMD
- 3.7V 250MAH
- Size:38x22mm ,20G
- 4 work modes
- With strap for wrist & clip

	
LUMEN	RUNTIME
80LM	3-15H
	
IP CLASS	LIGHT DISTANCE
IPX4	200M
	
USB TYPE - C	



BPL62526 Led Shoes Clip Light

- 1pc COB
- 2*cr2032
- Size: 40x40mm
- 3 flash modes
- Material:ABS
- With clip

				
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IPX4	NO	50M	1M



BPL6239 Battery LED Running Light

- 2pcs SMD
- 2AAA (not included)
- 3 flash modes
- Size:58x32x15mm,
- 10g
- Material : ABS
- With clips

				
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE
100LM	>12H	IP44	50M	1M



BPL62806 Battery Led Reflective Pendant

- 1pc led
- 1pc cr2032
- Materail: reflective strap
- Size :35 X 180mm
- 2pcs bandage
- 5 color available
- Can Be washable

				
LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE
100LM	>12H	IP44	50M	1M



BPL62210 Reflective PVC Clip Light

- 1pc SMD
- 1 cr2032
- Size: 117x33x8mm
- Material:PVC reflective
- Net weight : 14.6 g
- With magnet

				
YES	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE
	>12H	IP44	50M	1M



BPL85101 Led Reflective Armband

- 4PCS LED
- CR2032
- 2 flash mode
- Size:420x30mm
- With reflective band

				
RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IPX4	NO	50M	1M

