

We focus on the production and development of various LED products

BRILLIANT-DRAGON

Emergency Warning Light
Strobe Barricade light
Traffic Accessories
Home Personal Safety Alarm Item



Ningbo Brilliant-dragon Electronics Technology Co.,Ltd
NingBo BestParts LTD
ADD : No.455 ,Keji Road,Ningbo
TEL : 86 574 87672551
FAX : 86 574 87383916
EMAIL ; sales001@brilliant-dragon.net
grace3179@hotmail.com
WhatsApp / WeChat : 86 189 0668 0551
Skype : grace3179



2026

Ningbo Brilliant Dragon Electronic Technology Co., Ltd. (founded in 2015, China) specializes in manufacturing and exporting innovative LED lighting products, with key markets in the USA, Europe, Japan, Southeast Asia, & beyond.

With over a decade of expertise in the professional lighting industry, we offer a comprehensive range of high-standard lighting products. Our offerings include warning lights, work lights, portable floodlights, headlamps, camping lights, torches, solar lights, sensor lights, and more.

Our products cater to various needs, such as everyday lighting, professional road safety, construction sites, workshops, emergency response, personal protection, indoor and outdoor events, and promotional items, delivering performance that exceeds expectations.

Company Vision

Brilliant, illuminating every corner.



CE RoHS FC

HL75011-10A/R 10PACK SEQUENTIAL SET

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MAH
- Material : TPR ,PC
- 7 function sequential
- With AC/DC



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	2-60H	IPX7	1000M	1M	USB TYPE - C

HL75011-8A/R 8PACK SEQUENTIAL SET

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MAH
- Material : TPR ,PC
- 7 function sequential
- With AC/DC




LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	2-60H	IPX7	1000M	1M	USB TYPE - C

HL75011-6A/R 6PACK SYNC CASE

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MAH
- Material : TPR ,PC
- 7 function sequential
- With AC/DC



6 PACK



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	2-60H	IPX7	1000M	1M	USB TYPE - C

HL76907B-6/7/8P 6/7/8PACK Sequential Set

- 30pcs, 2835 smd 15w
- 3.7v 2200mah
- Material: TPR PC
- Size: 173x173x43mm for lamp
- Function: 5 work modes



⌚ RUNTIME	☔ IP CLASS	🛡️ PROTECT	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
8-50H	IP65	With	1000M	1M

Color Choice :
Single Color
Mix Color in One

**HL76907B-3/6P 3/6PACK Set**

- 30pcs, 2835 smd 15w
- 3.7v 2200mah
- Material: TPR PC
- Size: 173x173x43mm for lamp
- Function: 5 work modes



⌚ RUNTIME	☔ IP CLASS	🛡️ PROTECT	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
8-50H	IP65	With	1000M	1M

HL76907B Rechargeable Cone Light

- 30pcs, 2835 smd 15w
- 3.7v 2200mah
- Material: TPR PC
- Size: 173x173x43mm for lamp
- Function: 6 work modes



⌚ RUNTIME	☔ IP CLASS	🛡️ PROTECT	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
8-50H	IP65	With	1000M	1M

HL75011-4A/R 4 PACK Sequential Set

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MA
- Material : TPR ,PC
- 7 function sequential
- With AC/DC



💡 LUMEN	⌚ RUNTIME	☔ IP CLASS	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE	🔌 USB TYPE - C
300LM	2-40H	IPX7	1000M	1M	USB TYPE - C

HL7502A/SY 6 PACK 16 Led Flare Set

- 16pcs led
- 3.7V 750mah
- Size:10.5x10.5x3.5cm
- Material: TPR
- 9 flash way
- Sequential function Available



⌚ RUNTIME	☔ IP CLASS	🛡️ PROTECT	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
60H	IP67	With	1000M	1M

HL7505A/-SY 5PACK Warning Case

- 16pcs led +6 led
- 3.7V 750mah
- Size:11x11x3.7cm
- Material: TPR PC
- 9 flash way



⌚ RUNTIME	☔ IP CLASS	🛡️ PROTECT	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
60H	IP67	With	1000M	1M

HL7502C/SY 3 PACK 16 Led Flare Set

- 16pcs led
- 3.7V 750mah
- Size:10.5x10.5x3.5cm
- Material: TPR
- 9 flash way
- Sequential function Available



⌚ RUNTIME	☔ IP CLASS	🛡️ PROTECT	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
60H	IP67	With	1000M	1M

HL75501/R High Power Flare Light


- 6pcs x 1w
- 3AAA /3.7V 750mah
- Size: 105 x 55mm
- Net weight : 165g
- 1 work modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	1000M	1M

HL75502 High Power Flare Light

- 6PCS SMD LED
- 3AAA
- 1 work modes
- Size :8.6*5.5cm
- Net Weight:136g



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	1000M	1M

HL75503 High Power Flare Light

- 6PCS SMD LED
- 3AAA
- 1 work modes
- Size :8.6*5.5cm
- Net Weight:136g



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	1000M	1M

HL75504 High Power Flare Light

- 6PCS SMD LED
- 3AAA
- 1 work modes
- Size :8.6*5.5cm
- Net Weight:136g



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	1000M	1M

HL75505/R Multi Function Warning Light

- 12+3 led
- 3.7v500mah/3AAA
- Size: 90x90x35mm
- Net weight : 165g
- 9+1 work modes
- With magnet & hook



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
100LM	8-60H	IPX5	1000M	1M	USB TYPE - C

HL75506 Multi Function Warning Lightv

- 18 SMD side+ 9SMD top
- 3.7v 1200mah
- Size: 100x100x22.5mm
- Net weight : 96.3g
- 4 work modes
- With magnet in the base



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
200LM	10-15H	IPX5	500M	1M	USB TYPE - C

HL7529/B Led Strobe Light

- 6+1w LED
- 3AA
- 3 flash modes
- Size:95x94x40mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	With	500M	1M

HL7575/R 12+3 Led Flare Light

- 12+3led
- 3AAA/3.7v 500mah
- Size:10x10x3cm
- With hook and magnet
- 10 work modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	1000M	1M

HL70820 Multifunction warning light bar

- 28PCS LED
- Size: 32.6cm-62.2cm*11.3cm*4.7cm
- Weight: 694g
- 3.7v 5000mAh
- with Foldable 360° Adjustable Hook

**HL75303R Rechargeable Warning Bar**

- 6W led
- 3.7v 2000mah
- Size:16.5x5x4cm
- With 2pcs strong magnet
- With radio remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IP65	YES	100M	1M

HL75301R Rechargeable Warning Bar

- 12W led
- 3.7v 4000mah
- Size:32x5x4cm
- 2 work modes
- With radio remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IP65	YES	100M	1M

HL76002 Rechargeable led warning bar

- 24W led
- 3.7v 4000mah
- Material: ABS aluminum
- Size:28x16.5x5cm
- With radio remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IP65	YES	100M	1M

HL76003 Rechargeable led warning

- 64pcs led ,32w
- 3.7v 4000mah
- Material: ABS aluminum
- Size:185x170x70mm
- With radio remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>10H	IP65	YES	100M	1M

HL75602 Wireless Trailer Lamp

- Input : 12v/24v
- Battery : 3.7v 2000mah
- Size:105x105x55mm
- Frequency : 2.4G HZ
- Wireless range :30m



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	With	500M	1M

HL75601 Wireless Trailer Lamp

- Input : 12v/24v
- Battery : 3.7v 2000mah
- Size: 100x100x60mm
- Frequency : 2.4G HZ
- Wireless range :30m



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	With	500M	1M

HL76762 Rechargeable Warning Light Bar

- DC 12V
- 28.7*13.5*5.7CM
- With Solar Panel
- With Remote Control
- Waterproof IP65



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76728 24W Car Strobe Light

- 24pcs led, 24W
- DC12V -24V
- Size:60x170x280mm
- 7 work modes
- With 3m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76743 12V 24V car warning light

- 9-30v
- 30 x 3 w led
- Material: ABS,PC
- Size : 31x19x6.5cm
- Net weight : 2kgs
- 12 flash modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76752 Car strobe light

- 9V-30V
- 40W,40PCS LED
- Material: PC ,aluminum
- Size: 46x31.5x7.5cm
- 13 work modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76745 90w car warning light

- 9-30v
- 30 x 3 w led
- Material: ABS,PC
- Size : 36.6x12x8cm
- Net weight : 1.5kgs
- 15 flash modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76727 High power strobe light

- 36pcs led,18w
- DC12v~24v
- Work current: 1.5A
- Size:160x300x70mm
- Material:PC,Aluminum



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76730 Warning light bar

- 88pcs led,88w
- DC12v~24v
- Work current: 7.4A
- Size:1200x220x110mm
- Material:PC,Aluminum
- 16 flash modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76747 Strobe Light Set

- 48W X2
- 12~24V
- Material:ABS ,PC
- Size:150x150x70mm
- With radio remote control



Runtime	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IP65	With	800M	1M

HL76748 Strobe Light Set

- 32W X2
- 12~24V
- Material:ABS ,PC
- Size:160x160x80mm
- With radio remote control



Runtime	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IP65	With	800M	1M

HL76739 32W Car Strobe Light

- 32PCS LED,32W
- DC12/ 24V
- 32pcs LED,32W
- Size: 155x135x80mm
- 7 Work modes



Runtime	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76710 54W Car Strobe Light

- 24pcs led,48W
- DC12~24V
- Work current: 2A
- Material:PC,ABS,aluminum
- 175x180x67mm,1050g



Runtime	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76711 20W Car Strobe Light

- 240pcs led,24W
- DC12~24V
- Material:ABS,PC
- Size:15x14x7.5cm
- 7flash modes



Runtime	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76761 24W Car Strobe Light

- 24pcs led,24W
- DC12V -24V
- Size:60x184x184mm
- 14 work modes
- With 3m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76760 Car Strobe Light

- 40pcs SMD.20W
- DC12V -24V
- Size:88x95x127mm
- 7work modes
- With 5m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76719 Car Strobe Light

- 120pcs led, 12w
- DC12V/24v
- Size:155x200x105mm
- 2 flash modes
- With 3m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76740 40/60/80 LED Strobe Light

- 40LED,20W,389g,size:120x140mm
- 60LED,30W,429g,size:160x140mm
- 80LED,40W,505g,size:190x140mm
- Material:ABS
- DC12~24V
- 7 work modes
- IPx5



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX5	WITH	80M	1M

HL77805 12W Car Strobe Light

- 9-30v
- 24pcs SMD,12W
- Material: PC ,Aluminum
- Size : 130x65x90mm
- IP65



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL77806 12W Car Strobe Light

- DC12~24V
- 12pcs SMD,12W
- Material: PC ,Aluminum
- Size : 175x170x80mm
- Net weight : 750g
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL77802 Car Strobe Light

- 15w ,30PCS SMD
- DC10~110V
- Size: 130x100x70mm
- Net weight: 270g
- 1 flash way



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	800M	1M

HL7578 Led Strobe Light

- 8pcs led
- Product size:13x9.5x9.5cm
- 2D batteries,
- with light sensor



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	200M	1M

HL76721 Solar navigation warning light

- 6pcs led
- Solar panel:4V 160ma 0.64w
- Ni-Mh ,1.2v 800mahx2
- Size: 15x12x18cm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
30H	IP65	With	200M	1M

HL76705 Solar Beacon

- 6LED
- Solar panel:53x53mm
- 2pcs 3.7v 600mah lithium
- Product size:12.3x10cm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	With	200M	1M

HL76706 Solar Warning Light

- 6pcs led
- Solar panel : 53x53mm,5v 60ma
- Battery:3.2v 600mah
- Size: 123x123x100mm
- With strong magnet



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
30H	IP65	With	800M	1M

HL76603 Solar Warning Light

- 4PCS LED
- Solar panel:4v 60ma
- Size:85x85x60mm
- 300~700lux light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76610 Solar Warning Light

- Solar panel:5v 120ma
- SMD LED
- 3.7v 1000mah
- Size : 130x100x130mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IPX5	NO	20M	1M

HL7624 Solar Strobe Light

- Solar power :0.3W
- Battery :1.2V/1300mAH
- Dimensions:Φ91X156mm
- Material:PC,Aluminum
- With Light Sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IPX5	NO	20M	1M

HL76501 Solar Beacon With Clip

- 6PCS LED
- 3.6v 600mah ni-mh
- Solar pane: 0.3W
- Size : 73x75x185mm
- Frequency : 55 times/min



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IPX5	NO	20M	1M

HL76910 Solar Warning Light

- Solar panel: 1.2v 0.3w
- 3.6v 800mah
- Size: 160x130mm
- With light sensor
- Handle bar / bracket



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP65	NO	800M	1M

HL76911 Solar Barricade Light

- 4pcs led
- 3.6v 600mah
- Solar panel : 5v 100ma
- Size : 175x188mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL7612 Solar Barricade Light

- 9pcs led
- Solar panel :4v,200ma
- Battery: 3.6v 1200mah
- Size: 314x180mm
- Light distance:>500meter



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
35H	IP54	NO	20M	1M

HL7615 Solar Barricade Light

- 4PCS x2 LED
- 2 D Batteries
- Size:180x120mm
- Light distance:>300meter
- Frequency: 60 times / Min



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX4	NO	20M	1M

HL7617 Battery Warning Light

- 6PCS*LED
- 2*D Battery
- AS+PP
- 365*190mm
- Light sensing control&Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	50M	1M

HL7687 LED Roadblock Lamp

- 8PCS LED
- Battery:3.6V 600mAh or 2D
- Solar Panel:0.3w
- Material:PE,PS
- Size: 330x120x120mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL7688 LED Traffic Warning Light

- LED
- 2*6v 4R25(not including)
- PP+AS
- 38*18.5cm
- with Hook,Can be Hang at the Traffic cone



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	50M	1M

HL76601 Solar Roadblock Light

- 4PCS LED
- Solar Panel:4v 60ma
- Size:Diameter 9cm,Length:35cm
- Full Charging:6H
- Discharging Time:60H



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL76602 Solar Warning Light

- 6PCS LED
- Battery:2.4v 1500mah
- Material:PP,AS
- Solar Panel:4v 60ma
- With Light Sensor&Clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76605 LED Warning Light

- 8PCS LED
- 2D Battery(Not Included)
- Size:300x120x120mm
- Can be seen >200M at night
- With Light Sensor&Clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	50M	1M

HL76613 LED Solar Warning Light

- LED
- 3.2v 2300mah
- PC+ABS
- 4 Work Modes
- with Hook&Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>70H	IP65	NO	200M	1M

HL76614 Solar Warning Light

- LED
- 2.4v /Solar Panel
- ABS+PS
- 34.5*8.5cm
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL76619 Solar Warning Light

- 10* LED
- 3.7v 2600mah
- PC
- 140*135mm
- wireless control
- Solar Panel,visible distance>800m



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

HL76622 Solar Warning Light

- 14PCS LED
- 3.7v 2200mah
- Solar Panel:5v 1.2w
- Size:140x140x85mm
- Discharging time:more than 200Hours



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

HL76620 Solar Warning Light

- 11*LED
- 3.2v 1500mah/Solar Panel
- ABS
- 16*10*9cm,300g
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>70H	IP65	NO	200M	1M

HL76618 Solar Warning Light


- 32*LED
- 3.7v 3000mah/Solar Panel
- ABS+PS
- 215*105*140mm
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

HL76912 Solar Warning Light

- 5V1.2W solar panel
- 40pcs LED
- 3.7V 2000MAH
- Size: 153x21x30mm
- With light sensor



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE-C
200LM	2-10H	IP64	10M	1M	

HL76915 Solar Warning Light

- 2.5V150ma solar panel
- 3pcs LED
- 1.2V 600MAH
- Size: 100x38x103mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IP65	NO	10M	1M

HL76616 Solar Warning Light

- LED
- 1.2/Solar Panel
- AS+PS
- 355*180mm
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	50M	1M

HL76906 Solar Warning Light

- Solar panel: 5v 100ma
- 1.2v 600ma NIMH
- Size: 90 x130mm
- With light sensor
- With ring for cone



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>15H	IP65	NO	800M	1M

HL76615 Solar Warning Light

- 8*LED
- 3.7v 2mah/Solar Panel
- PP+AS
- 380*400*101mm
- with Bracket:Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
70days	IP65	NO	200M	1M

HL76621 Solar Rotary Light

- 60PCS LED+15X8PCS LED
- Size:Diameter 560mm
- With Solar Panel
- With Stand
- Can be seen >500M



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>60H	IP65	NO	200M	1M

HL76301 Solar Pole Light

- 15*LED
- 1.2v 600mah/Solar Panel
- PC
- 100*100*58mm,155g
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76302 Solar Warning Light

- 4*LED
- 1.2v 600mah/Solar Panel
- PC
- 85*70mm
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
100H	IP65	NO	50M	1M

HL76306 LED Reflective warning light


- 3*LED
- 3.7v 2.2Ah/Solar Panel
- aluminum alloy+ABS
- 205*140mm,800g
- Automatic switch, light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
200H	IP65	NO	200M	1M

HL76307 LED Guardrail Light

- 8*LED
- 3.7v 2000mah
- PP+reflective film
- 95*95*260mm
- Automatic switch, light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
200H	IP65	NO	200M	1M

HL76308 Traffic Warning Light

- 12*LED
- 3.7v 4000mah
- PC
- 160*120mm,500g
- Automatic switch, light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>60H	IP65	NO	200M	1M

HL76314 Solar Pole Light

- 8PCS LED
- Solar panel:0.4w 2.5v
- Battery :600mA 1.2v
- Size:125*125*80mm
- Material:PC



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76011 LED Reflective Warning Light

- 6*LED
- 1.2v 800mah
- galvanized iron
- 115*70*55mm,500g
- Light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>60H	IP65	NO	200M	1M

HL76609 Solar Traffic Light

- 8PCS LED
- Solar panel:2v 100mah
- Material: ABS ,PS
- Size : 185x37x52mm,200g
- 2 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
75H	IP64	NO	20M	1M

HL77304 Solar Pole Beacon

- 6PCS LED
- 2x 1.2v 600mah ni-mh
- Solar panel : 0.5w
- Material: PC,ABS
- Size: 113x85x85mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP67	NO	20M	1M

HL76309 Solar Warning Light

- 2*LED
- 3.7v 200mah
- ABS+PC
- 150*40*34mm,75g
- Light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76312 Solar Pole Light

- LED Size:103*103*70mm
- Solar Panel:0.2w 2.5v
- Battery:400mA 1.2V
- Material:PC



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76313 Solar Pole Light

- 6PCS LED
- Solar panel:0.2w 2.5v
- Battery :600mA 1.2v
- Size:140*140*50mm
- Material:PC



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76310 Solar Warning Baton

- Spray paint+reflective film
- Diameter:116mm
- Height:800mm
- With Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
100H	IP65	NO	50M	1M

HL76305 Solar Warning Baton

- Spray paint+reflective film
- 3.7V 500mAh
- Diameter:80mm
- Height:1000mm
- With Solar Panel
- With 2.4GHZ



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

BST7606 Foldable Cone

- With 6pcs reflective piece
- Material:PP with UV resistant
- Net Weight:0.9kg
- Size:63*13*4.3cm (Foldable)
- M10 screw

**BST7605 Collapsible Traffic Cone**

- Material:PP or ABS
- Height:40~70cm

Item No.	Height	Base Size(cm)
BST7605-40	40cm	24.4*24.4*3.8
BST7605-45	45cm	24.4*24.4*3.8
BST7605-50A	50cm	24.4*24.4*3.8
BST7605-50B	50cm	31.5*31.5*5
BST7605-55	55cm	31.5*31.5*5
BST7605-60	60cm	31.5*31.5*5
BST7605-65	65cm	31.5*31.5*5
BST7605-70	70cm	31.5*31.5*5

**HL76916 Rechargeable LED Cone**

- Material:PU
- 320X320X700MM,4KGS
- Charging time:4-6H
- Work Time:36H
- Battery:11.4v/8AH



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76914A/B Cone Light With Alarm

- 24W COB
- 12V 2500mah
- Material: ABS
- Size: A.770X320X320MM
B.910X370X370MM
- 130DB alarm
- 15 meter remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76406 Battery Warning Light

- Size:H250*70MM
- Material:PC+ABS
- 6PCS LED
- 2*D Battery(not including)
- Red/Yellow



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76401 Cone Top Light


- 0.5w led
- 2D battery(not included)
- Material: PP,AS
- Size: 80x249mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IPX4	WITH	20M	1M

HL76708 Solar Strobe Light

- 9 Red / 9 Blue LED
- Solar panel : 5v 150ma
- Battery:3.7v 1200mah
- Size: 140x146mm
- Can be seen >1000meter in the night



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL76903 Solar Cone Light

- 12PCS LED
- Solar panel:5v100ma
- Material: ABS
- Size:95x70x5.5cm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
30H	IPX4	NO	20M	1M

HL76905 Rechargeable LED Cone

- 5PCS LED
- 3.7V 300mAh
- Material: PP + Oxford cloth
- Size:25x25cm, 400g
- Cone height:40cm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
8H	IP44	NO	20M	1M

HL77001 LED Copllapse Cone

- 12pcs led
- 3.7v 500mah
- Material: PP + canvas cloth
- Size: 245x245x50~410mm
- 2 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
8H	IP44	NO	20M	1M

HL77601 Cone LED Sleeve

- 18pcs led
- 3AAA
- Material: reflective clothing
- Size: 16x30x33(height)cm,800g
- 3 work modes

LED road cone sleeve



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
40H	IPX3	NO	20M	1M

HL77602 Cone LED Sleeve

- 24pcs led
- 3AAA
- Material:reflective clothing
- Size: 16x30x33(height)cm,800g
- 3 work modes

LED Road Cone Sleeve



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
40H	IPX3	NO	20M	1M

HL7662 /M Traffic Warning Board

- 4x9led/4x7led
- 2AA
- Size:46x85cm/26x48cm
- With ON/OFF switch
- Material: reflective cloth



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IP65	WITH	800M	1M

HL7656 Traffic Waring Borad

- 15PCS LED
- 2AA (Not clouding)
- Size:48x48cm
- With ON/OFF
- Material: Reflective cloth



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX3	WITH	20M	1M

HL76901 Traffic Arrow Light

- 64pcs led,12W
- 3.7V 4000mah
- Mode: 4 work modes
- Size:290x80x30mm
- With accessories for cone
- With carry bag



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IP65	WITH	1000M	1M

HL76107 LED Arrow Light

- Size:60cm x25cm
- Voltage:12V/24V
- 3 Work Modes
- With music switch controller
- Light wire length: 10 meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
45H	IP65	NO	500M	1M

HL76107A LED Arrow Light

- Size:35*20*4.1cm
- Voltage:12V/24V
- 3 Work Modes
- With music switch controller
- Light wire length: 10 meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
45H	IP65	NO	500M	1M

HL76746 LED Arrow Light

- 15PCS LED
- Material:ABS ,metal
- Size : 200x100x30mm
- 10 meter cable with controller
- With bracket
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
45H	IP65	NO	500M	1M

HL76908 Rechargeable Arrow Light

- 26PCS LED
- 3.7V 7500MAH
- Material: ABS
- Size : 350x200x42mm
- 1 work mode



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX4	WITH	500M	1M

HL76902 Foldable Arrow Light

- 22PCS SMD
- 3.7V 1800mah
- Material: ABS + PC
- Size : 305x48x48mm, 277g
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IPX5	WITH	10M	1M

HL76108 LED Arrow Traffic Light

- 64W led
- 12/24v
- Material:PC aluminum
- Size:127.5X5.5X6.5cm
- With calbe control
- Fixture by screws



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP64	NO	100M	1M

HL7503B Led Warning Stick

- 6x2pcs 2835 led ,1pc 3W top
- 3.7v 2200mah
- Material: PC TPR
- Size: 60x48x340mm
- Net weight: 400g
- 8 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
17H	IP65	WITH	1000M	1M

HL7536 Warning Stick

- 10pcs red+1pc white led
- 3AA /3.7v2000mah
- Size:300x30x30mm
- 3 work modes
- With alarm



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	WITH	500M	1M

HL76163 Warning Stick

- 6+6pcs led
- 3pcs C battery
- Size: 30x30x545mm
- 4 flash modes
- With alarm



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	500M	1M

HL76166 Warning Stick

- 4 red(side)+8 white (top) led
- Rechargeable battery / 4AAA
- Size:40x560mm
- With alarm
- With red laser



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP65	WITH	500M	1M

HL76161 Battery Warning Sticker

- 9 LED(side) + 1 LED (top)
- 3*AAA
- Material: ABS AS
- 3 Flash modes
- Size: 30x30x280mm
- With clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IPX4	WITH	20M	1M

HL77605 Led Warning Baton

- 6PCS Red+ 3PCS White LED
- 3*AAA
- Material : ABS,PVC
- Size: 405x40x40mm (lamp),95g
- 4 Flash modes
- With Plastic tripod



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IPX4	NO	50M	1M

HL76159 Handle Stop Board

- 7pcs+9pcs led
- 3.7v 1200mah
- Material: PP,AS
- Size: 37x18.8x18.8cm
- With high reflective tape



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP64	NO	500M	1M

HL76158 Rechargeable LED Board

- 9PCS LED + 1PC TOP
- 3.7v 800mAh
- Material: ABS
- Size: 34x18x12cm
- 4 Work Modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IP65	NO	50M	1M

HL7590 Rechargeable Duty Light

- Amber/Red Blue
- LED : 20PCS LED
- Size: 9.5 *3.8 *3.2
- Battery: 3.7V 1200mAh
- Net Weight: 52g
- Waterproof IP65



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IP65	YES	500M	1M

BPL65007AB Mini Clip Duty Light

- A: 9+1pcs SMD, B:12+7pcs SMD
- 3.7V 500MAH
- Size: 70x25mm
- Net weight :43g
- With clip
- 5 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
6H	IPX4	NO	50M	1M

HL7582 Led Duty Light

- 6pcs SMD+1pc white led
- 3.7v350mah,1.2w
- Size:75x30x26mm,49g
- With clips



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
15H	IP65	NO	500M	1M

BPL65018 Led Duty Lamp

- XPE+10SMD
- 3.7V800mah
- 90x38x36mm
- Net weight :54.8g
- With clip



LUMEN	RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1000LM	4-12H	IPX4	NO	500M	1M	

HL7585 Rechargeable Shouler Light

- 16PCS SMD+1PC White LED
- DC 5v 500mah,250lm
- Size:89x36x32mm,53g
- Charging time:3h
- With USB cable & clips



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IPX5	NO	50M	1M

BPL65001 Rechargeable Duty Light

- 6PCS Red / 6PCS Blue + 1PC White LED
- 3.7v 500mah
- Size:75x30x26mm,59g
- 3 flash modes
- With USB cable & clips



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
16H	IPX5	NO	50M	1M

BPL65002 Rechargeable Duty Cap Light

- 8PCS LED
- 3.7v 500mah
- Material: ABS
- 3 Work modes
- Charging time : 2~3 hours



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IPX5	NO	50M	1M

Traffic Control Accessories

Speed Bump

Reflective Post

Expandable Mobile Barricade

Anti-slip Block

Traction Board

Road Stud

Safety Vest

SP01 Portable Speed Bump

- 1m,3m,4m,5m available
- With reflective strap
- With carry bag

**TFR01/02 Traffic Cone Topper**

- 3 meter / 5 meter
- Fit for all size cone
- Material:ABS

**BSF-G01 Traffic Warning Signs**

- 585*430mm,1500g
- ABS+reflective film
- IP67 Fit for Cone

**SP02 Foldable Speed Bump**

- Size: 3000*250*25MM
- Weight: 11KG
- Material: Polyurethane

**BSF-G02 Warning Reflective Sign**

- Size:21x34.5cm
- Weight:194g
- High Reflective Material
- With Handle

**TGB-01 Road Warning Sign**

- Size:28x18x14cm
- Weight:0.37kg
- Material:TPU+EVA
- Split design

**CEP-01 Portable Anti-slip track**

- Size: 60/80/100/120/150cm*22cm
- Material: TPR + Galvanized Steel Cable
- Thickness: 2.5cm
- Suitable for cars, SUVs/minivans

**WP-01 Plastic Reflective Posts**

- PE+Rubber
- 1100mm*420mm,6kg
- Reflective Film

**WP-02 Plastic Reflective Posts**

- EVA+PU
- 45/75/90CM
- Reflective Film



EMB01 Expandable Mobile Barricade

- Expandable Mobile Barricade
- Material: PE
- Size : Height 960x240-2500mm
- With reflective strap

**EMB02 Expandable Mobile Barricade**

- Expandable Mobile Barricade
- Material: PE
- Size : Height 1015x320-3800mm

**EMB03 Expandable Mobile Barricade**

- PE
- 107*220*47cm,3KG
- Scalable Reflective Film

**CEP-06 Automobile anti-slip block**

- 2PCS FOR SET
- Size: 22.5CMX8.5X3.5CM
- Weight:1.85kgs
- Material: TPU + Zinc Alloy + Nylon

**CEP-07 Automobile anti-slip block**

- Black block Size: 8.5"(L) x 3.9" (W) x 1" (D)
- Strap Size: 2" x 57"
- Set of 2, OPP bag
- Applicable tire size: 165-265

**CEP-08 Automobile anti-slip block**

- Weight: 0.45kg/piece
- Size: 17.7*7.5*2.7cm
- Length: 1 meter
- Material: Polyurethane

**CEP-02 Spliced Traction Board**

- Size: 133.5x32.5x6cm
- Applicable vehicle: sedan/SUV/off-road vehicle
- Load capacity: 10 tons
- Usage scenarios: sandy terrain, mountainous terrain, and icy/snowy roads

**CEP-03 Off-road recovery board**

- Size:104.5x28.5x6.5cm
- Load-bearing capacity: Each block can bear 5 tons
- Applicable vehicle : sedan/SUV/off-road vehicle
- Usage scenario: sandy land, mountainous areas, mountain roads

**CEP-04 Automobile Traction Board**

- 2PCS For Set
- Size: 104.5*28.5*11cm
- Weight: 4.62kg
- Material: PPA6

**CEP-05 Folding Recovery Board**

- 2PCS For Set
- Size: 18cm*60cm
- Material: PP material
- Weight: 580g

**CEP-09 Automobile Off-road Recovery Board**

- Size:108.2cmx31cmx6.5cm
- Applicable vehicle : sedan/SUV/off-road vehicle
- Load capacity: 10 tons
- Usage scenarios: sandy land, mountainous terrain, ice and snow


**CEP-10 Automobile Off-road Recovery Board**

- Size:115cmx29.7cmx6cm
- Applicable vehicle : sedan/SUV/off-road vehicle
- Load capacity: 10 tons
- Usage scenarios: sandy land, mountainous terrain, ice and snow



BSR1051 Solar Road Stud


- Material: Aluminum +PC
- Solar panel: 5V/110MA
- Battery: 3.2V 1000MA
- LED: Ultra bright diameter 5mm
- Resistance: >40T
- Size: 125*50mm



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1013 Solar Road Stud


- Material: Aluminum +PC
- Battery: NI-MH1.2V/1500MAH
- Flashing model: constant or blinking
- Load capacity: >30T
- Size: L125mm*W107mm*H26+50mm
- Weight: 635g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1018 Solar Road Stud

- Material: Cast Aluminum
- Size: Φ120*50mm(bottom), Φ135*50mm(upper)
- Solar panel: 2.5V/180MAH
- Battery: 2pcs NI-MH 1.2V/600MAH
- LED: 3pcs/side Φ10mm super brightness LED
- Net weight: 0.7KG
- Load bearing: over 30tons



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1019 Solar Road Stud

- Material: Aluminium alloy+PC cover
- Solar panel: 2.5V/180MA
- Battery: 1000MAH
- Working mode: Blinking or constant
- Working temperature: -20-70degree
- Load capacity: >30T



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1003 Solar Road Stud

- 6pcs LED
- Solar panel: 2.5V/0.25W
- Battery: NI-MH1.2V/600MAH
- Size: L108mm*W97mm*H25mm
- Weight: 320g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>2day	IP68	NO	500M	1M

BSR1005 Solar Road Stud

- 6pcs LED
- Solar panel 2.5V/0.25W
- NI-MH1.2V/600MAH
- Load capacity: >20T
- Size: 104x104x20mm, 320g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3day	IP68	NO	800M	1M

BSR1016 Solar Road Stud

- Material: PC
- Solar panel: 2.5V /0.25W
- Battery: NI-MH 1.2V/1500MAH
- LED: Φ5 Ultra bright LED 6pcs
- Working model: Constant or blinking
- Load capacity: >20T
- Size: D108mm*H56mm



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1052 Solar Road Stud

- Material: PC
- Solar panel: 5V/80MA
- Battery: 3.2V/300MAH
- 6PCS LED
- Size: 114*90*11mm
- Weight: 120g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1019 Solar Road Stud

- 6pcs LED
- Solar panel: 2.5V/180MA
- Battery: 3.7v1000MAH
- Size: 135x135x50mm
- Net weight: 760g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3day	IP68	NO	500M	1M

BSR1012 Solar Road Stud

- 6PCS led
- Solar panel: 2.5V/0.25W
- Battery: NI-MH1.2V/600MAH
- Size: L123*W133*H22+55mm
- Weight: 635g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3 day	IP67	NO	300M	1M

BSR1001 Road Stud

- Size: 110x110x9mm
- Material: PMMA ,ABS
- Net weight: 69g
- With reflectrve straps



IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
IP68	NO	500M	1M

BSR1002 Road Stud

- Size: 110x110x9mm
- Material: PMMA ,ABS
- Net weight: 110g
- With reflectrve straps



IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
IP68	NO	500M	1M

BSR1020 Solar Road Stud

- 6pcs LED
- Solar panel: 2.5V/0.25W
- Battery: NI-MH1.2V/600MAH
- Size: L124mm*W29mm*H43mm
- Weight: 250g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>2day	IP68	NO	500M	1M

BSR1025 Solar Road Stud

- 6pcs LED
- Solar panel: 2.5V/0.25W
- Battery: NI-MH1.2V/1500MAH
- Size: Dia122*25mm
- Weight: 300g



RUNTIME	IP CLASS	RESIST	LIGHT DISTANCE	IMPACT RESISTANCE
>3day	IP68	NO	500M	1M

BPL62323 Safety Vest

- Size: 52x45cm
- Mesh material
- With storage bag
- With wrist band
- With high reflective strap



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62321/B Reflective Vest

- 120G Polyester Mest
- Size:44x70-100cm
- B:6PCS LED,CR2032
- Reflective strap
- Adjustable strap



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62312 Rechargeable Safety Vest

- 12pcs led
- 3.7v 300mah
- 120g terylene
- Reflective clothing
- Waterproof IP65
- Can be washing



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62313 Rechargeable Safety Vest

- 10pcs led
- 3.7v 500mah
- Size:X-3XL
- 120g terylene
- Reflective strap :5cm
- Waterproof IP65
- Can be washing



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62326 Reflective Legging

- Size: 45x35cm
- With velcro strap
- With reflective straps
- Mesh material
- With elastic band



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62325 Reflective Safety Vest

- Mesh material
- 5cm reflective strap
- 70x58cm
- Size:L-3XL
- With zipper
- With bags



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62316 Rechargeable Safety Vest

- 8pcs led
- 3.7v 300mah
- Elastic adjustable
- Strap size: 5cm
- Waterproof ,IPX4



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62317 Rechargeable Led Raincoat

- 5pcs led
- 3.7v 300mah
- Oxfor cloth
- Size:S-XL
- Waterproof ,IPX4
- Can be washing
- USB charging



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62320 Reflective Safety Vest

- 120G Polyester mest
- Size:44x70-100cm
- Reflective strap
- Adjustable strap



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62715 Reflective LED Vest

- 3PCS LED CR2032
- 120G Polyester mest
- Size:56x80-100cm
- Reflective strap



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62319 Rechargeable Led Raincoat

- 11pcs led
- Lithium rechargeable,3.7v 300mah
- Titaft 190T
- Hooded jackets and trousers
- Waterproof ,IPX4
- Can be washing
- USB charging



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62401 Rechargeable Safety Vest

- 16PCS LED
- 2AA(Not including)
- Mest,5cm reflective strap
- Size:S-3XL
- Reflective strap
- Different color available



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62716/B Reflective LED Vest

- Size:56x75-100cm
- 5cm strap
- 1.5cm reflective strap
- Different color available
- 3.7V 120MAH



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62732 Reflective LED Vest

- 4PCS LED,2*CR2032
- 5cm reflective strap
- Size:56x80-100cm,130g
- Reflective strap
- 3 flash modes
- Different color available



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62402 Battery Safety Vest

- 18PCS LED
- 2AA(Not Including)
- Mest,5cm reflective strap
- Size:S-3XL
- Reflective strap
- Different color available



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62403 Battery Safety Vest

- 16PCS LED
- 2AA (Not Including)
- 120G Polyester mest,
- 5cm reflective strap
- Size:S-3XL
- Reflective strap
- Different color available



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62311 Rechargeable Safety Vest

- 20pcs led
- 3.7v 500mah
- Size:X-3XL
- Reflective strap :5cm
- Waterproof IP65
- Can be washed



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

BPL62318 Battery Safety Vest

- 18pcs led
- 2AA(not included)
- Size:X-3XL
- 120g terylene
- Reflective strap :5cm
- Waterproof IP65



IP CLASS	WATERPROOF	WINDPROOF	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	NO	100M	1M	

Personal Security Home Security Items



BSG26028 Solar Alarm Light


- 2pcs Red LED Light
- Battery:3.7v 400mah
- Solar Panel:5v*80mah
- Size: 7.5*8.1*3.2cm
- Charging Time:8h



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>12H	IP55	NO	100M	1M

BSG26032 Solar Alarm System

- 6 pcs Red LED Light
- Solar Panel:5v*80mA
- Battery:3.7 400mah
- Material:ABS
- Discharging Time:50Days



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>24H	IP55	NO	100M	1M

BSG26029 Solar Alarm Light

- 3.7v 1200mah
- Solar Panel:5v*130mah
- Size: 15*5.4*7.6cm
- Material: ABS
- Discharging Time:8-10days



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>24H	IP55	NO	100M	1M

BSG26022 Solar Ultrasound Alarm

- 2pcs led,
- 5v 130MA solar panel
- 3.7v 1200mah
- Ultrasound :24hz
- Size: 68X150X125mm,250g



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>24H	IP55	NO	300M	1M

BSG26035 Solar Alarm System

- 6pcs Red LED +3pcs LED
- 3.7v 2000mah
- Solar Panel: 5v*1.2
- Size:145*105*175mm
- Discharging time: >12h



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>12H	IP55	NO	100M	1M

BSG26021 Solar Alarm Light

- 12pcs red + 12 blue led
- 5v 3w solar panel
- 3.7v 4000mah
- Size: 170x200x170mm
- Bracket :280cm
- Net weight:250g



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>24H	IP55	NO	500M	1M

BSG26018 Solar Infrared Alarm

- 12pcs led
- 5v 1.2w solar panel
- 3.7v 2000mah
- Size: 177x87x85mm,500g
- 13 kinds sounds inside
- With recording function



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>12H	IP55	NO	500M	1M

BSG26031 Solar Alarm System

- 3.7v 1200mah
- Solar Panel:5v*120ma
- Material: ABS
- Size: 8.8*14*9.4cm
- Charging Time:Solar Charging8h/ DC 2h
- Detection distance: 5-8 meters



⌚ RUNTIME	☔ IP CLASS	⚡ MAGNET	📶 LIGHT DISTANCE	🔧 IMPACT RESISTANCE
>12H	IP44	NO	100M	1M

BSG26003 Solar Security Light

- Solar panel: 5v 80ma
- 6pcs led 3.7v 400mah
- Size: 120x69mm
- Alarm:110DB
- 2 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	500M	1M

BSG26004 Solar Security Light

- Solar panel: 5v 120ma
- 8pcs led
- 3.7v 1200mah
- Size: 140x90mm
- Alarm: 129DB
- Remote control: 433 MHZ



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>18H	IP65	NO	500M	1M

BSG26030 Solar Alarm Light

- 3.7v 400mah
- Solar Panel:5v*80mah
- Size: 97*48*110mm
- Charging Time:8h
- Discharging Time:>3h
- Sounds:13 sound plays



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	100M	1M

BSG26023 Solar PIR Alarm

- 6pcs red led,
- 5v 80MA solar panel
- 3.7v 400mah
- 129BD
- Size: 80X95Xmm,140g
- With PIR sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	300M	1M

BSG26033 Solar Alarm System

- Battery:3.7v 1000mah
- Size:164.3*124.3*59mm
- Weight:247g
- Charging time:10h/USB 4-5h
- Alarm volume:<100DB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	100M	1M

BSG26025 Solar Alarm With Warning Light

- Solar :5v100ma
- 3.7v 800mah
- Material : ABS
- 135x61x79.5mm,250g
- Alarm: 120db
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	300M	1M

BSG26036 Solar Infrared Sensor Repeller

- Weight:500g
- Material:ABS
- Size:11*5*14*50cm
- Repulsion range: 50-80 square meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	50-80M	1M

BSG26037 Solar Animal Alarm

- Red Blue LED
- Solar Panel
- Size:9.4*8.5*10.5cm
- Weight:1000g
- Recharging time :5h
- Sensing design



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	>50M	1M

BSG26005 Solar Infrared Alarm

- 5v 60mah solar panels
- 3.7v 800mah
- Size : 122x55x73mm
- Net weight : 121g
- Alarm sound : 100DB
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	500M	1M

BSG26020 Solar Alarm Light

- 8pcs led
- 5v 120ma solar panel
- 3.7v 1200mah
- Size: 90x85x90mm,250g
- 120BD
- With PIR sensor & remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	500M	1M

BSG26019 Solar Infrared Alarm

- 6pcs led
- 5v 150ma solar panel
- 3.7v 1200mah
- Size: 105x105x75mm,400g
- 13 kinds sounds inside
- With recording function



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	500M	1M

BSG26026 Solar Alarm Repellent

- 6pcs Red LED Light
- 3.7v 1200mah
- Solar Panel:5v*150mah
- 10.5*7.5*36cm,420g
- 4 Works Modes
- Discharging Time:6-8days



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	100M	1M

BSG26027 Solar Alarm Light

- 2v*130mah
- Battery:Ni-MH AAA 1.2v/600mah
- Size: 8*8.8*5.8cm
- Charging Time:>8h
- Discharging Time:>12h
- IP44



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	100M	1M

BSG26034 Solar Alarm System

- 3.7v 1000mah
- Size:8.5*2.9*8.3
- Weight:90g
- Modes:Infrared sensor activation
- IP54



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP54	NO	100M	1M

BSG26038 Solar infrared Sensor Repeller

- Battery:4*AA 300mah
- Size:15.2*13*42cm
- Material:ABS
- Net Weight:355g
- Discharging time ☑ 6-8h
- Distance ☑ 7-9m



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	50M	1M

BSG26039 Solar Infrared Repeller

- Battery:3.7v Solar Panel
- Size:90*305mm
- Material:ABS
- Net Weight:500g
- Red light LED
- with vibration deterrent



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	50M	1M

HL79523AB Battery/Rechargeable Personal Alarm

- 1PC LED
- Net Weight:32g
- 3* LR44 /3.7V 120MAH
- Size:12.5*4.3*2cm
- 130db



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79526 Rechargeable Personal Alarm

- 1PC LED
- 3.7v 150mah
- Size:56*51*22mm
- Net Weight:32g
- 130db



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79522 Rechargeable Personal Alarm

- 1PCS LED
- 130 DB
- Size: 73*42*21mm
- 3* LR44 /3.7V 120MAH
- Weight: 30g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79525 Battery Personal Alarm

- 1PC LED
- Material:ABS
- 3PCS*LR44
- Net Weight:32g
- Size:55*52*26MM
- 130DB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79517B Rechargeable Personal Alarm

- 1PC LED
- Material: ABS
- LR44 * 3pcs/3.7V 120MAH
- Alarm : 130DB
- Size: 82 * 51 * 35mm
- Net weight: 43g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79508 Personal SOS Alarm

- 3.7v130mah
- 130DB
- Size: 52X22X52mm
- Net weight: 46g
- With key chainv



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IPX5	NO	10M	1M

HL79520 Battery Personal Alarm

- 1PC LED
- Material:ABS
- 3xLR44
- 100DB
- Weight: 27.5g
- Size: 64*46*24mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79505 Personal Alarm Light

- 1pc led,
- 130DB
- Size: 87.5X30X13mm
- Net weight: 18g
- With key chain



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IPX5	NO	10M	1M

HL79502 Personal Alarm Light

- 1pc led,
- 3.7V130mah
- 130DB
- Size: 100X31X13.5mm
- Net weight: 28



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
4H	IPX5	NO	10M	1M

HL79503 Personal Alarm Light

- 8pcs led,
- 3.7V100mah
- 130BD
- Size: 78X25X18mm
- With clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
4H	IPX5	NO	200M	1M

HL79527 Battery Personal Alarm

- 1PCS LED
- Size:16.3*11.3*3.5mm
- Weight:50g
- 125dB
- With Keychain



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IPX5	NO	10M	1M

HL79504 Personal Alarm Light

- 1pc led,
- 3.7V130mah
- 130DB
- Size: 68X26X10.5mm
- Net weight: 18g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IPX5	NO	10M	1M

HL79524 Battery Personal Alarm

- 1PC LED
- Battery:23A12V
- Size:35*19*70mm
- Net Weight:40g
- 130DB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79519 Personal Alarm with PIR Sensor

- 1PC LED
- 120DB
- Battery: LR44 x3
- Size: 38 × 24 × 67mm
- With human body induction



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79528 Battery Personal Alarm

- LR44*3pcs
- Size:71.5*38*14.5mm
- Weight:27.5g
- Material:ABS
- Alarm decibel: 125dB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IPX5	NO	10M	1M

HL79521 Battery Personal Alarm

- 3xLR44
- 100DB
- Weight: 30g
- Size: 60*30*24mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

BPL66028 Window Door Alarm

- 3AAA
- Size:10*6*4cm
- Weight:60g
- 4 Work Modes
- Alarm decibel: 65-120db

**BPL66011 Door/Window Sensor Alarm**

- 130DB
- 3pcs LR44
- Size: 14.5X70X35mm
13.5X10X40mm
- With sticker

**BPL66022 Window Door Alarm**

- Size:45*23*99mm
- Material:ABS
- Net Weight:36g
- 2*AA (Not Including)
- 95 dB

**BPL66025 Window Door Alarm**

- Size:15 x 5 x 10 cm
- Material:ABS
- 100 dB sound
- magnet control
- 3pcs AA battery not include

**BPL66021 Window Door Alarm**

- Size : Host 65*34*16.5mm
- Magnetic stripe 36*10*14mm
- Net weight: 42g
- Material: ABS
- LR44*3
- 90-130 dB

**BPL66016 Window Door Stop Alarm**

- Materials:ABS
- Size:90*42*15.5mm
- 2*AAA
- 130DB Alarm
- 4 Work Modes

**BPL66020 Window Door Alarm**

- Size: Ø9*72mm
- Material:ABS
- LR44 * 3 pieces
- Product Weight: 32.5g
- 125 dB

**BPL66019 Window Door Stop Alarm**

- 3*LR44
- Size:64*27mm
- Net Weight:40g
- 120DB
- 2 Sensitivity

**BPL66017 Window Door Stop Alarm With Remote**

- 2*AAA
- Size:90*42*15.5mm
- Material:ABS
- 130DB Alarm
- 4 Work Mode
- With Remote Control

**BPL66015 Door/Window Sensor Alarm**

- 130DB
- 2AAA (body)/ 1cr2032(Remote)
- Size: 90X43X13mm,
45x13x13mm
- With remote control
- Frequency:433HZ

**BPL66018 Door Stop Alarm**

- 3 levels: high, medium, low
- 3AAA battery (not included)
- 120DB
- Size: 68 x 18 x 139mm
- Weight: 40g

**BPL66027 Door Stop Alarm**

- Size:128.2*36*21.5mm
- Weight:45.5g
- Material:ABS +PC

**BPL66012 Window Door Stop Alarm**

- 3pcs LR44
- Material ABS
- Weight 50g
- Size :75x38x11.5mm
- 120DB

**BPL66024 Window Door Alarm**

- Size:35*65*25mm
- Material:ABS
- Net Weight:30g
- 3*LR44
- 95 dB

**BPL66001 Door Stop Alarm**

- 9V battery
- Size:14x4.5x4cm
- Net weight: 90g
- DB for alarm >120
- With switch for on / OFF

**BPL66026 Door Stop Alarm**

- Size:45*37*135mm
- Net Weight:105g
- Material:ABS
- 9V battery
- DB for alarm >120



BPL65021 Rechargeable LED Running Light

- 14PCS LED
- Size:57*24*22mm
- Weight :19.5g
- Material:ABS
- Modes:7 Work Modes



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65023 Rechargeable LED Running Light

- XPE+10 LED
- Battery:3.7V 450mah
- Size:36*53mm
- Material:ABS+Silicone
- 6 Work Modes
- With clip



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL62525 Battery Running Light

- 3pcs SMD
- 2pcs cr2032
- 3 flash modes
- Size:55x30x18mm,20g
- Material:ABS,PC
- With clip



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL62526 Led Shoes clip Light

- 1pc COB
- 2*cr2032
- Size: 40x40mm
- 3 flash modes
- Material:ABS
- With clip



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65024 Rechargeable LED Running Light

- COB+XPE
- Battery:1200mah
- Size:57*47mm
- Material:ABS
- Modes:11 Work Modes
- Battery Display



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65025 Rechargeable LED Running Light

- 5W COB
- 800lm
- Size:10.5*7.3*3.3cm
- Material:ABS
- Battery Display



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL62531 Led Running Light

- 1PC LED
- 2*CR2032 (Not Including)
- 3 flash modes
- Size:165x33x19mm,38g
- With magnet



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL6239 Battery Running Light

- 2pcs SMD
- 2AAA (not included)
- 3 flash modes
- Size:58x32x15mm,10g
- With clips



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65020 Clip Running Light

- 24 SMD.white/blue/green
- 3.7v 400mah
- Net weight:26g
- With clip
- 4 work modes



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65028 Rechargeable LED Running Light

- XPG+COB
- Battery: 1500mah
- Size:9*6*3cm
- Weight :56g
- Material:ABS
- With Clip Magnet Base



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL62539 Sports Arm Light

- 4xwhite+2xred2835SMD
- Size:38x22mm ,20G
- 4 work modes
- With strap for wrist & clip



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL62806 Battery Led Reflective Pendant

- 1pc led
- 1pc cr2032
- Material: reflective strap
- Size :35 X 180mm
- Can Be washable



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65009 Led Running Light

- XPG +LED +COB
- 3.7V 800MAH
- Material:ABS ,silica
- Size : 57x48x28mm,72g
- With magnet clip
- 5 work modes



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65013 Led Running Light

- 3W COB
- 3.7V 800MAH
- Material: silica,ABS
- Size: 4.8x3.8x2.3cm,35g
- 6 work modes
- With red warning light



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL62210 Reflective PVS clip Light

- 1pc SMD
- 1 cr2032
- Size: 117x33x8mm
- Material:PVC reflective
- Net weight : 14.6 g
- With magnet



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL85101 Led Reflective Armband

- 4PCS LED
- CR2032
- 2 flash mode
- Size:420x30mm
- With reflective band



IP CLASS	RECHARGE	TEMPERATURE	LIGHT DISTANCE	MODES	USB TYPE-C
IP65	YES	30-40	>100M	>10H	USB TYPE-C

BPL65016 LED Running light

- 2W white+1.8w red,2835smd
- 3.7V 350MAH
- Size:380X30X15MM
- Net weight: 37g
- 3 work modes



BPL65022 Rechargeable LED Running Light

- COB LED
- Size:55*52mm
- 4 Work Modes
- ABS+PC
- Magnet Base



BPL65026 Battery/Rechargeable Running Light

- 3AAA/Rechargeable
- Size:30*2.5*1.5cm
- Weight :30g
- Material:Weaving



BPL65015 Rechargeable LED Running Light

- 6PCS LED
- 3.7v 300mah
- Material:ABS silica
- Size 47x27x18mm ,30g
- 3 work modes



BPL65019 Rechargeable LED Shoes Light

- XPE +COB
- 3.7V 300mah
- Material: ABS
- 33x66x32mm, 25.5g
- 5 work modes
- 180 degree angle adjustable



BPL62809 Led Running Light

- 3W COB+4PCS
- 3.7V 650MAH
- Material :ABS
- Net weight : 152g
- 3 work modes
- With warning light in the back
- Light head can be adjusted 0~90 degree



BPL65014 Led Running Light

- 5w COB ,6pcs white + 4pcs red SMD (back)
 - 3.7V 1200MAH
 - Material:ABS,PC ,nylon
 - Size : 45x35x10cm,136g
 - 6 work modes
 - Charging time : 2~3 hours
- 



BPL65010 Led Running Light

- 2*T6+5pcs red led
- 3.7V 2200MAH
- Material:ABS
- Size:105x53x27mm (back lamp)
70x60x30mm (front lamp)
- Net weight:161g
- 5 Work Modes
- Adjustable reflective strap
- 120 degree angle adjustable



REMARK

[illegible]

The Clients We have worked for:

